



Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for both commercial and residential markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering you total flooring solutions for any environment.


**Forbo Flooring B.V.**  
P.O. Box 13  
1560 AA Krommenie  
The Netherlands  
T: +31 75 647 74 77  
F: +31 75 647 77 01  
contact@forbo.com  
www.forbo-flooring.com

220636/012020

Find us on



creating better environments



allura

creating better environments





## *Allura, made with passion*

Allura is made for end users and professionals in the flooring business by professionals in commercial flooring.

Allura has always been made with passion and knowledge and represents the next generation of LVT flooring.

At Forbo, we study how people work, live and interact in today's commercial interiors. We connect this knowledge to future trends and the changing dynamics of a building; we use our findings to innovate and differentiate our portfolio of products through design and function.

We solve today's and tomorrow's challenges by providing answers to key issues such as limiting valuable downtime, the re-use of floors and minimising environmental impacts.

*We are **passionate about design** and the **endless possibilities** Allura offers, both as a stand alone collection and in combination with other Forbo products.*


## ALL ABOUT OUR FLOORS

The designs in our Allura collections are available in a variety of constructions. In this all-in one range you will find 51 items which are all available in dryback, flex and click pro constructions and in some case also in puzzle or ease. So depending on the demand of the subfloor, the amount of traffic and the type of traffic - you can still choose one design that can be applied everywhere. Here you can find more information about the different constructions.

### allura dryback

**FULLY ADHERED**


- Largest choice in design, colour, size and shape
- Most durable, reliable product for applications of any size
- Maximum certainty and performance with a glued down product



### allura flex

**TACKIFIED LOOSE LAY**


- Easy and quick, only using tackifier to install
- Stable product for demanding applications of any size
- Special backing for extra comfort and improved room acoustics



### allura click pro

**CLICK CONNECTED**


- Clickable solution for any area up to 1000 m<sup>2</sup>
- Suitable for use with uneven subfloors and is genuinely adhesive free
- Balanced product that will perform over time



### allura ease

**LOOSE LAY**


- Fully loose laid design offer for use across a wide variety of applications
- Easy to install but also to remove, re-use and recycle
- Quickest solution with no down time for both planks and tiles



### allura puzzle

**PUZZLE CONNECTED LOOSE LAY**

- High traffic solution with strong puzzle connection
- Minimal subfloor preparation and quick to install
- Large tile format in wood and material colourways that is ready to use immediately



## FIND THE RIGHT ALLURA COLLECTION FOR YOUR PROJECT

Every project is different and has its own specific demands. This can be in relation to the subfloor, the volume of traffic that passes through, or the size of the project. Also the installation skills or the size of the project. One thing is certain, we have the right solution in our portfolio.

	WHAT'S YOUR PROJECT?		ACOUSTIC REQUIREMENTS		INSTALLATION REQUIREMENTS					
	PROJECT SIZE	INTENSITY OF LOAD	ACOUSTICAL COMFORT		SUBFLOOR TOLERANCE	ADHESION	SPEED OF INSTALLATION	SKILLS NEEDED FOR INSTALLATION	INSTALLED PRICE	REMOVABILITY
Dryback	Unlimited	High	6 dB	+	Low	Yes	Traditional speed	Medium to advanced	Reference	Low - fully bonded
Flex	Unlimited	Medium	14 dB	++	Low	Tackified	Fast	Medium	Equal	Removable
Click Pro	< 1000 m <sup>2</sup> without transition profile	Low	7 dB/15 dB with Forbo underlay	++	Medium	No	Fastest	Low	Higher	Reusable
Ease	< 250 m <sup>2</sup>	Medium	7 dB	+	Low	No	Fastest	Medium	Lower	Reusable
Puzzle	< 500m <sup>2</sup>	High	7 dB	+	Medium	No	Fastest	Medium	Equal	Reusable
Decibel	Unlimited	Medium	19 dB	+++	Low	Tackified	Fast	Medium	Equal	Removable

## HOW TO SPECIFY YOUR ORDER

The project requirements dictate which product is most suitable.


- DR7** – allura dryback wear layer 0.70 mm
- DR5** – allura dryback wear layer 0.55 mm
- DR4** – allura dryback wear layer 0.40 mm
- FL1** – allura flex wear layer 1.0 mm
- FL5** – allura flex wear layer 0.55 mm
- CL5** – allura click pro wear layer 0.55 mm
- EA7** – allura ease wear layer 0.70 mm
- PZ7** – allura puzzle wear layer 0.70 mm

The colourway numbers are mentioned below the sample. Add the code above as a suffix after the colourway number to specify your required format of the product. Items with multiple executions (size or shape) each have a different colourway number. Please note that not all designs are available from stock in every product construction.

### Example:

When you want the grey waxed oak in Allura Flex with wear layer thickness 0.55 mm. Take the colourway number of grey waxed oak which is 63496 and add FL5 to the number.

This is how you would specify this example order:





**natural giant oak**



**grey giant oak**

**60284 | natural giant oak**

**60280 | grey giant oak**

Allura	Art. Number	Size
Dryback 0.70	<b>60284DR7</b>	180 x 32 cm
Dryback 0.55	<b>60284DR5</b>	180 x 32 cm
Dryback 0.40	<b>60284DR4</b>	180 x 32 cm
Flex 1.0	<b>60284FL1</b>	150 x 28 cm
Flex 0.55	<b>60284FL5</b>	150 x 28 cm
Click Pro 0.55	<b>60284CL5</b>	150,5 x 23,7 cm
Ease 0.70	<b>60284EA7</b>	150 x 24 cm
Puzzle 0.70	<b>60284PZ7</b>	96 x 96 cm

Art. Number	Size
<b>60280DR7</b>	180 x 32 cm
<b>60280DR5</b>	180 x 32 cm
<b>60280DR4</b>	180 x 32 cm
<b>60280FL1</b>	150 x 28 cm
<b>60280FL5</b>	150 x 28 cm
<b>60280CL5</b>	150,5 x 23,7 cm
<b>60280EA7</b>	150 x 24 cm
<b>60280PZ7</b>	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>	<b>EA7</b>	<b>PZ7</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel	2 sided	2 sided	2 sided	4 sided	4 sided	4 sided	4 sided	
Pcs in box	8	9	10	7	9	6	6	1
M <sup>2</sup> in box	4,6m <sup>2</sup>	5,18m <sup>2</sup>	5,76m <sup>2</sup>	2,94m <sup>2</sup>	3,78m <sup>2</sup>	2,14m <sup>2</sup>	2,16m <sup>2</sup>	0,92m <sup>2</sup>



**60284 | natural giant oak**



**deep country oak**      **central oak**      **light honey oak**      **whitened oak**      **rustic anthracite oak**

Allura	60302   deep country oak		60300   central oak		60305   light honey oak		60301   whitened oak		60306   rustic anthracite oak	
	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size	Art. Number	Size
Dryback 0.70	60302DR7	150 x 28 cm	60300DR7	150 x 28 cm	60305DR7	150 x 28 cm	60301DR7	150 x 28 cm	60306DR7	150 x 28 cm
Dryback 0.55	60302DR5	150 x 28 cm	60300DR5	150 x 28 cm	60305DR5	150 x 28 cm	60301DR5	150 x 28 cm	60306DR5	150 x 28 cm
Dryback 0.40	60302DR4	150 x 28 cm	60300DR4	150 x 28 cm	60305DR4	150 x 28 cm	60301DR4	150 x 28 cm	60306DR4	150 x 28 cm
Flex 1.0	60302FL1	150 x 28 cm	60300FL1	150 x 28 cm	60305FL1	150 x 28 cm	60301FL1	150 x 28 cm	60306FL1	150 x 28 cm
Flex 0.55	60302FL5	150 x 28 cm	60300FL5	150 x 28 cm	60305FL5	150 x 28 cm	60301FL5	150 x 28 cm	60306FL5	150 x 28 cm
Click Pro 0.55	60302CLS	150,5 x 23,7 cm	60300CLS	150,5 x 23,7 cm	60305CLS	150,5 x 23,7 cm	60301CLS	150,5 x 23,7 cm	60306CLS	150,5 x 23,7 cm
Ease 0.70			60300EA7	150 x 24 cm	60305EA7	150 x 24 cm			60306EA7	150 x 24 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>	<b>EA7</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm
IR embossing	yes	yes	yes	yes	yes	yes	yes
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	7	9	6	6
M <sup>2</sup> in box	5,04m <sup>2</sup>	5,88m <sup>2</sup>	6,3m <sup>2</sup>	2,94m <sup>2</sup>	3,78m <sup>2</sup>	2,14m <sup>2</sup>	2,16m <sup>2</sup>



60300 | central oak



**bleached timber**



**blond timber**



**greywashed timber**



**hazelnut timber**

**63406 | bleached timber**

Allura	Art. Number	Size
Dryback 0.70	<b>63406DR7</b>	120 x 20 cm
Dryback 0.55	<b>63406DR5</b>	120 x 20 cm
Dryback 0.40	<b>63406DR4</b>	120 x 20 cm
Flex 1.0	<b>63406FL1</b>	120 x 20 cm
Flex 0.55	<b>63406FL5</b>	120 x 20 cm
Click Pro 0.55	<b>63406CLS</b>	121,2 x 18,7 cm
Ease 0.70	<b>63406EA7</b>	120 x 19 cm

**63412 | blond timber**

Art. Number	Size
<b>63412DR7</b>	120 x 20 cm
<b>63412DR5</b>	120 x 20 cm
<b>63412DR4</b>	120 x 20 cm
<b>63412FL1</b>	120 x 20 cm
<b>63412FL5</b>	120 x 20 cm
<b>63412CLS</b>	121,2 x 18,7 cm
<b>63412EA7</b>	120 x 19 cm

**63408 | greywashed timber**

Art. Number	Size
<b>63408DR7</b>	120 x 20 cm
<b>63408DR5</b>	120 x 20 cm
<b>63408DR4</b>	120 x 20 cm
<b>63408FL1</b>	120 x 20 cm
<b>63408FL5</b>	120 x 20 cm
<b>63408CLS</b>	121,2 x 18,7 cm
<b>63408EA7</b>	120 x 19 cm

**63410 | hazelnut timber**

Art. Number	Size
<b>63410DR7</b>	120 x 20 cm
<b>63410DR5</b>	120 x 20 cm
<b>63410DR4</b>	120 x 20 cm
<b>63410FL1</b>	120 x 20 cm
<b>63410FL5</b>	120 x 20 cm
<b>63410CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>	<b>EA7</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm
IR embossing	yes	yes	yes	yes	yes	yes	yes
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8	10
M² in box	2,88m²	3,36m²	3,6m²	2,4m²	3,12m²	1,81m²	2,28m²

**63407 | bleached timber**

Allura	Art. Number	Size
Dryback 0.70	<b>63407DR7</b>	50 x 15 cm
Dryback 0.55	<b>63407DR5</b>	50 x 15 cm

**63413 | blond timber**

Art. Number	Size
<b>63413DR7</b>	50 x 15 cm
<b>63413DR5</b>	50 x 15 cm

**63409 | greywashed timber**

Art. Number	Size
<b>63409DR7</b>	50 x 15 cm
<b>63409DR5</b>	50 x 15 cm

**63411 | hazelnut timber**

Art. Number	Size
<b>63411DR7</b>	50 x 15 cm
<b>63411DR5</b>	50 x 15 cm

**Dry back 0.70**

Article nr. suffix	Dry back 0.70	Dry back 0.55
	<b>DR7</b>	<b>DR5</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm
IR embossing	yes	yes
Bevel	4 sided	4 sided
Pcs in box	40	46
M² in box	3m²	3,45m²

**Dry back 0.55**

Article nr. suffix	Dry back 0.55
	<b>DR5</b>
Thickness/wearlayer	2,2 mm / 0,55 mm
IR embossing	yes
Bevel	4 sided
Pcs in box	46
M² in box	3,45m²



**63410 | hazelnut timber**



grey autumn oak



classic autumn oak



white autumn oak

60356 | grey autumn oak

Allura	Art. Number	Size
Dryback 0.70	60356DR7	100 x 15 cm
Dryback 0.55	60356DR5	100 x 15 cm
Dryback 0.40	60356DR4	100 x 15 cm
Flex 1.0	60356FL1	100 x 20 cm
Flex 0.55	60356FL5	100 x 20 cm
Click Pro 0.55	60356CLS	121,2 x 18,7 cm

60353 | classic autumn oak

Art. Number	Size
60353DR7	100 x 15 cm
60353DR5	100 x 15 cm
60353DR4	100 x 15 cm
60353FL1	100 x 20 cm
60353FL5	100 x 20 cm
60353CLS	121,2 x 18,7 cm

60350 | white autumn oak

Art. Number	Size
60350DR7	100 x 15 cm
60350DR5	100 x 15 cm
60350DR4	100 x 15 cm
60350FL1	100 x 20 cm
60350FL5	100 x 20 cm
60350CLS	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	20	23	25	10	13	8
M <sup>2</sup> in box	3m <sup>2</sup>	3,45m <sup>2</sup>	3,75m <sup>2</sup>	2m <sup>2</sup>	2,6m <sup>2</sup>	1,81m <sup>2</sup>

60357 | grey autumn oak

Allura	Art. Number	Size
Dryback 0.70	60357DR7	90 x 15 cm HP
Dryback 0.55	60357DR5	90 x 15 cm HP
Flex 1.0	60357FL1	120 x 20 cm HP
Flex 0.55	60357FL5	120 x 20 cm HP

60354 | classic autumn oak

Art. Number	Size
60354DR7	90 x 15 cm HP
60354DR5	90 x 15 cm HP
60354FL1	120 x 20 cm HP
60354FL5	120 x 20 cm HP

60351 | white autumn oak

Art. Number	Size
60351DR7	90 x 15 cm HP
60351DR5	90 x 15 cm HP
60351FL1	120 x 20 cm HP
60351FL5	120 x 20 cm HP

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>FL1</b>	<b>FL5</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel	2 sided	2 sided	2 sided	2 sided
Pcs in box	40	46	12	15
M <sup>2</sup> in box	4,5m <sup>2</sup>	5,17m <sup>2</sup>	2,4m <sup>2</sup>	3m <sup>2</sup>



60351 | white autumn oak





grey waxed oak



waxed oak

63496 | grey waxed oak

Allura	Art. Number	Size
Dryback 0.70	<b>63496DR7</b>	100 x 15 cm
Dryback 0.55	<b>63496DR5</b>	100 x 15 cm
Dryback 0.40	<b>63496DR4</b>	100 x 15 cm
Flex 1.0	<b>63496FL1</b>	100 x 20 cm
Flex 0.55	<b>63496FL5</b>	100 x 20 cm
Click Pro 0.55	<b>63496CLS</b>	121,2 x 18,7 cm
Ease 0.70	<b>63496EA7</b>	120 x 19 cm
Puzzle 0.70	<b>63496PZ7</b>	96 x 96 cm

60063 | waxed oak

Art. Number	Size
<b>60063DR7</b>	100 x 15 cm
<b>60063DR5</b>	100 x 15 cm
<b>60063DR4</b>	100 x 15 cm
<b>60063FL1</b>	100 x 20 cm
<b>60063FL5</b>	100 x 20 cm
<b>60063CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>	<b>EA7</b>	<b>PZ7</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	
Pcs in box	20	23	25	10	13	8	10	1
M <sup>2</sup> in box	3 m <sup>2</sup>	3,45m <sup>2</sup>	3,75m <sup>2</sup>	2m <sup>2</sup>	2,6m <sup>2</sup>	1,81m <sup>2</sup>	2,28m <sup>2</sup>	0,92m <sup>2</sup>

63497 | grey waxed oak

Allura	Art. Number	Size
Dryback 0.70	<b>63497DR7</b>	90 x 15 cm HP
Dryback 0.55	<b>63497DR5</b>	90 x 15 cm HP
Flex 1.0	<b>63497FL1</b>	120 x 20 cm HP
Flex 0.55	<b>63497FL5</b>	120 x 20 cm HP

60055 | waxed oak

Art. Number	Size
<b>60055DR7</b>	90 x 15 cm HP
<b>60055DR5</b>	90 x 15 cm HP
<b>60055FL1</b>	120 x 20 cm HP
<b>60055FL5</b>	120 x 20 cm HP

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>FL1</b>	<b>FL5</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel	2 sided	2 sided	2 sided	2 sided
Pcs in box	40	46	12	15
M <sup>2</sup> in box	4,5m <sup>2</sup>	5,17m <sup>2</sup>	2,4m <sup>2</sup>	3m <sup>2</sup>



60063 | waxed oak



**pure oak**



**steamed oak**

**60295 | pure oak**

Allura	Art. Number	Size
Dryback 0.70	<b>60295DR7</b>	120 x 20 cm
Dryback 0.55	<b>60295DR5</b>	120 x 20 cm
Dryback 0.40	<b>60295DR4</b>	120 x 20 cm
Flex 1.0	<b>60295FL1</b>	120 x 20 cm
Flex 0.55	<b>60295FL5</b>	120 x 20 cm
Click Pro 0.55	<b>60295CLS</b>	121,2 x 18,7 cm

**60293 | steamed oak**

Art. Number	Size
<b>60293DR7</b>	120 x 20 cm
<b>60293DR5</b>	120 x 20 cm
<b>60293DR4</b>	120 x 20 cm
<b>60293FL1</b>	120 x 20 cm
<b>60293FL5</b>	120 x 20 cm
<b>60293CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M <sup>2</sup> in box	2,88m <sup>2</sup>	3,36m <sup>2</sup>	3,6m <sup>2</sup>	2,4m <sup>2</sup>	3,12m <sup>2</sup>	1,81m <sup>2</sup>



**60293 | steamed oak**



**natural collage oak**



**grey collage oak**

**60374 | natural collage oak**

Allura	Art. Number	Size
Dryback 0.70	<b>60374DR7</b>	120 x 20 cm
Dryback 0.55	<b>60374DR5</b>	120 x 20 cm
Dryback 0.40	<b>60374DR4</b>	120 x 20 cm
Flex 1.0	<b>60374FL1</b>	120 x 20 cm
Flex 0.55	<b>60374FL5</b>	120 x 20 cm
Click Pro 0.55	<b>60374CLS</b>	121,2 x 18,7 cm

**60375 | grey collage oak**

Art. Number	Size
<b>60375DR7</b>	120 x 20 cm
<b>60375DR5</b>	120 x 20 cm
<b>60375DR4</b>	120 x 20 cm
<b>60375FL1</b>	120 x 20 cm
<b>60375FL5</b>	120 x 20 cm
<b>60375CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M <sup>2</sup> in box	2,88m <sup>2</sup>	3,36m <sup>2</sup>	3,6m <sup>2</sup>	2,4m <sup>2</sup>	3,12m <sup>2</sup>	1,81m <sup>2</sup>



**60375 | grey collage oak**



**black rustic oak**

60074 | black rustic oak

Allura	Art. Number	Size
Dryback 0.70	<b>60074DR7</b>	120 x 20 cm
Dryback 0.55	<b>60074DR5</b>	120 x 20 cm
Dryback 0.40	<b>60074DR4</b>	120 x 20 cm
Flex 1.0	<b>60074FL1</b>	120 x 20 cm
Flex 0.55	<b>60074FL5</b>	120 x 20 cm
Click Pro 0.55	<b>60074CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M <sup>2</sup> in box	2,88m <sup>2</sup>	3,36m <sup>2</sup>	3,6m <sup>2</sup>	2,4m <sup>2</sup>	3,12m <sup>2</sup>	1,81m <sup>2</sup>



60074 | black rustic oak



grey raw timber



white raw timber



brown raw timber

60152 | grey raw timber

Allura	Art. Number	Size
Dryback 0.70	<b>60152DR7</b>	120 x 20 cm
Dryback 0.55	<b>60152DR5</b>	120 x 20 cm
Dryback 0.40	<b>60152DR4</b>	120 x 20 cm
Flex 1.0	<b>60152FL1</b>	120 x 20 cm
Flex 0.55	<b>60152FL5</b>	120 x 20 cm
Click Pro 0.55	<b>60152CLS</b>	121,2 x 18,7 cm

60151 | white raw timber

Art. Number	Size
<b>60151DR7</b>	120 x 20 cm
<b>60151DR5</b>	120 x 20 cm
<b>60151DR4</b>	120 x 20 cm
<b>60151FL1</b>	120 x 20 cm
<b>60151FL5</b>	120 x 20 cm
<b>60151CLS</b>	121,2 x 18,7 cm

60150 | brown raw timber

Art. Number	Size
<b>60150DR7</b>	120 x 20 cm
<b>60150DR5</b>	120 x 20 cm
<b>60150DR4</b>	120 x 20 cm
<b>60150FL1</b>	120 x 20 cm
<b>60150FL5</b>	120 x 20 cm
<b>60150CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	yes	yes	yes	yes	yes	yes
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M <sup>2</sup> in box	2,88m <sup>2</sup>	3,36m <sup>2</sup>	3,6m <sup>2</sup>	2,4m <sup>2</sup>	3,12m <sup>2</sup>	1,81m <sup>2</sup>



60151 | white raw timber



**burned oak**



**petrified oak**

**63420 | burned oak**

Allura	Art. Number	Size
Dryback 0.70	<b>63420DR7</b>	120 x 20 cm
Dryback 0.55	<b>63420DR5</b>	120 x 20 cm
Dryback 0.40	<b>63420DR4</b>	120 x 20 cm
Flex 1.0	<b>63420FL1</b>	120 x 20 cm
Flex 0.55	<b>63420FL5</b>	120 x 20 cm
Click Pro 0.55	<b>63420CLS</b>	121,2 x 18,7 cm

**63418 | petrified oak**

Art. Number	Size
<b>63418DR7</b>	120 x 20 cm
<b>63418DR5</b>	120 x 20 cm
<b>63418DR4</b>	120 x 20 cm
<b>63418FL1</b>	120 x 20 cm
<b>63418FL5</b>	120 x 20 cm
<b>63418CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M <sup>2</sup> in box	2,88m <sup>2</sup>	3,36m <sup>2</sup>	3,6m <sup>2</sup>	2,4m <sup>2</sup>	3,12m <sup>2</sup>	1,81m <sup>2</sup>



**63420 | burned oak**



**oyster seagrass**



**natural seagrass**

**61253 | oyster seagrass**

Allura	Art. Number	Size
Dryback 0.70	<b>61253DR7</b>	100 x 15 cm
Dryback 0.55	<b>61253DR5</b>	100 x 15 cm
Dryback 0.40	<b>61253DR4</b>	100 x 15 cm
Flex 1.0	<b>61253FL1</b>	100 x 20 cm
Flex 0.55	<b>61253FL5</b>	100 x 20 cm
Click Pro 0.55	<b>61253CLS</b>	121,2 x 18,7 cm
Puzzle 0.70	<b>61253PZ7</b>	96 x 96 cm

**61255 | natural seagrass**

Art. Number	Size
<b>61255DR7</b>	100 x 15 cm
<b>61255DR5</b>	100 x 15 cm
<b>61255DR4</b>	100 x 15 cm
<b>61255FL1</b>	100 x 20 cm
<b>61255FL5</b>	100 x 20 cm
<b>61255CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Puzzle 0.70
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>	<b>PZ7</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided	
Pcs in box	20	23	25	10	13	8	1
M <sup>2</sup> in box	3m <sup>2</sup>	3,45m <sup>2</sup>	3,75m <sup>2</sup>	2m <sup>2</sup>	2,6m <sup>2</sup>	1,81m <sup>2</sup>	0,92m <sup>2</sup>



**61253 | oyster seagrass**



**weathered rustic pine**



**natural rustic pine**



**bleached rustic pine**

**60085 | weathered rustic pine**

Allura	Art. Number	Size
Dryback 0.70	<b>60085DR7</b>	120 x 20 cm
Dryback 0.55	<b>60085DR5</b>	120 x 20 cm
Dryback 0.40	<b>60085DR4</b>	120 x 20 cm
Flex 1.0	<b>60085FL1</b>	120 x 20 cm
Flex 0.55	<b>60085FL5</b>	120 x 20 cm
Click Pro 0.55	<b>60085CLS</b>	121,2 x 18,7 cm

**60082 | natural rustic pine**

Art. Number	Size
<b>60082DR7</b>	120 x 20 cm
<b>60082DR5</b>	120 x 20 cm
<b>60082DR4</b>	120 x 20 cm
<b>60082FL1</b>	120 x 20 cm
<b>60082FL5</b>	120 x 20 cm
<b>60082CLS</b>	121,2 x 18,7 cm

**60084 | bleached rustic pine**

Art. Number	Size
<b>60084DR7</b>	120 x 20 cm
<b>60084DR5</b>	120 x 20 cm
<b>60084DR4</b>	120 x 20 cm
<b>60084FL1</b>	120 x 20 cm
<b>60084FL5</b>	120 x 20 cm
<b>60084CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	yes	yes	yes	yes	yes	yes
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	4 sided
Pcs in box	12	14	15	10	13	8
M <sup>2</sup> in box	2,88m <sup>2</sup>	3,36m <sup>2</sup>	3,6m <sup>2</sup>	2,4m <sup>2</sup>	3,12m <sup>2</sup>	1,81m <sup>2</sup>



**60084 | bleached rustic pine**





classic beech

60026 | classic beech

Allura	Art. Number	Size
Dryback 0.70	<b>60026DR7</b>	100 x 15 cm
Dryback 0.55	<b>60026DR5</b>	100 x 15 cm
Dryback 0.40	<b>60026DR4</b>	100 x 15 cm
Flex 1.0	<b>60026FL1</b>	100 x 20 cm
Flex 0.55	<b>60026FL5</b>	100 x 20 cm
Click Pro 0.55	<b>60026CLS</b>	121,2 x 18,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CLS</b>
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel						4 sided
Pcs in box	20	23	25	10	13	8
M <sup>2</sup> in box	3m <sup>2</sup>	3,45m <sup>2</sup>	3,75m <sup>2</sup>	2m <sup>2</sup>	2,6m <sup>2</sup>	1,81m <sup>2</sup>



60026 | classic beech



**honey elegant oak**



**whitewash elegant oak**

**60065 | honey elegant oak**

**60064 | whitewash elegant oak**

Allura	Art. Number	Size
Dryback 0.70	<b>60065DR7</b>	120 x 20 cm
Dryback 0.55	<b>60065DR5</b>	120 x 20 cm
Dryback 0.40	<b>60065DR5</b>	120 x 20 cm
Flex 1.0	<b>60065FL1</b>	120 x 20 cm
Flex 0.55	<b>60065FL5</b>	120 x 20 cm
Click Pro 0.55	<b>600654CL5</b>	121,2 x 18,7 cm
Ease 0.70	<b>60065EA7</b>	120 x 19 cm
Puzzle 0.70	<b>60065PZ7</b>	96 x 96 cm

Art. Number	Size
<b>60064DR7</b>	120 x 20 cm
<b>60064DR5</b>	120 x 20 cm
<b>60064DR4</b>	120 x 20 cm
<b>60064FL1</b>	120 x 20 cm
<b>60064FL5</b>	120 x 20 cm
<b>60064CL5</b>	121,2 x 18,7 cm
<b>60064EA7</b>	120 x 19 cm
<b>60064PZ7</b>	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>	<b>EA7</b>	<b>PZ7</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel						4 sided	4 sided	
Pcs in box	12	14	15	10	13	8	10	1
M <sup>2</sup> in box	2,88m <sup>2</sup>	3,36m <sup>2</sup>	3,6m <sup>2</sup>	2,4m <sup>2</sup>	3,12m <sup>2</sup>	1,81m <sup>2</sup>	2,28m <sup>2</sup>	0,92m <sup>2</sup>



**60064 | whitewash elegant oak**



white sand



taupe sand

62488 | white sand

Allura	Art. Number	Size
Dryback 0.70	62488DR7	50 x 50 cm
Dryback 0.55	62488DR5	50 x 50 cm
Dryback 0.40	62488DR4	50 x 50 cm
Flex 1.0	62488FL1	50 x 50 cm
Flex 0.55	62488FL5	50 x 50 cm
Click Pro 0.55	62488CL5	60 x 31,7 cm

62485 | taupe sand

Art. Number	Size
62485DR7	50 x 50 cm
62485DR5	50 x 50 cm
62485DR4	50 x 50 cm
62485FL1	50 x 50 cm
62485FL5	50 x 50 cm
62485CL5	60 x 31,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel	4 sided	4 sided	4 sided	4 sided	4 sided	
Pcs in box	12	14	15	10	13	10
M <sup>2</sup> in box	3m <sup>2</sup>	3,5m <sup>2</sup>	3,75m <sup>2</sup>	2,5m <sup>2</sup>	3,25m <sup>2</sup>	1,9m <sup>2</sup>



62488 | white sand



mist texture



taupe texture

62534 | mist texture

Allura	Art. Number	Size
Dryback 0.70	<b>62534DR7</b>	50 x 50 cm
Dryback 0.55	<b>62534DR5</b>	50 x 50 cm
Dryback 0.40	<b>62534DR4</b>	50 x 50 cm
Flex 1.0	<b>62534FL1</b>	50 x 50 cm
Flex 0.55	<b>62534FL5</b>	50 x 50 cm
Click Pro 0.55	<b>62534CL5</b>	60 x 31,7 cm

63438 | taupe texture

Art. Number	Size
<b>63438DR7</b>	50 x 50 cm
<b>63438DR5</b>	50 x 50 cm
<b>63438DR4</b>	50 x 50 cm
<b>63438FL1</b>	50 x 50 cm
<b>63438FL5</b>	50 x 50 cm
<b>63438CL5</b>	60 x 31,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel						
Pcs in box	12	14	15	10	13	10
M <sup>2</sup> in box	3m <sup>2</sup>	3,5m <sup>2</sup>	3,75m <sup>2</sup>	2,5m <sup>2</sup>	3,25m <sup>2</sup>	1,9m <sup>2</sup>



63438 | taupe texture



silver stream


63776 | silver stream

Allura	Art. Number	Size
Dryback 0.70	<b>63776DR7</b>	50 x 50 cm
Dryback 0.55	<b>63776DR5</b>	50 x 50 cm
Dryback 0.40	<b>63776DR4</b>	50 x 50 cm
Flex 1.0	<b>63776FL1</b>	50 x 50 cm
Flex 0.55	<b>63776FL5</b>	50 x 50 cm
Click Pro 0.55	<b>63776CL5</b>	60 x 31,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel						
Pcs in box	12	14	15	10	13	10
M <sup>2</sup> in box	3m <sup>2</sup>	3,5m <sup>2</sup>	3,75m <sup>2</sup>	2,5m <sup>2</sup>	3,25m <sup>2</sup>	1,9m <sup>2</sup>



63776 | silver stream



**nickel metal brush**


63625 | nickel metal brush

Allura	Art. Number	Size
Dryback 0.70	<b>63625DR7</b>	50 x 50 cm
Dryback 0.55	<b>63625DR5</b>	50 x 50 cm
Dryback 0.40	<b>63625DR4</b>	50 x 50 cm
Flex 1.0	<b>63625FL1</b>	50 x 50 cm
Flex 0.55	<b>63625FL5</b>	50 x 50 cm
Click Pro 0.55	<b>63625CL5</b>	60 x 31,7 cm
Puzzle 0.70	<b>63625PZ7</b>	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Puzzle 0.70
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>	<b>PZ7</b>
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no
Bevel							
Pcs in box	12	14	15	10	13	10	1
M <sup>2</sup> in box	3m <sup>2</sup>	3,5m <sup>2</sup>	3,75m <sup>2</sup>	2,5m <sup>2</sup>	3,25m <sup>2</sup>	1,9m <sup>2</sup>	0,92m <sup>2</sup>



63625 | nickel metal brush



grey stone

63468 | grey stone

Allura	Art. Number	Size
Dryback 0.70	<b>63468DR7</b>	50 x 50 cm
Dryback 0.55	<b>63468DR5</b>	50 x 50 cm
Dryback 0.40	<b>63468DR4</b>	50 x 50 cm
Flex 1.0	<b>63468FL1</b>	50 x 50 cm
Flex 0.55	<b>63468FL5</b>	50 x 50 cm
Click Pro 0.55	<b>63468CL5</b>	60 x 31,7 cm
Ease 0.70	<b>63468EA7</b>	48 x 48 cm
Puzzle 0.70	<b>63468PZ7</b>	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>	<b>EA7</b>	<b>PZ7</b>
Thickness/ wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel							4 sided	
Pcs in box	12	14	15	10	13	10	10	1
M <sup>2</sup> in box	3m <sup>2</sup>	3,5m <sup>2</sup>	3,75m <sup>2</sup>	2,5m <sup>2</sup>	3,25m <sup>2</sup>	1,9m <sup>2</sup>	2,3 m <sup>2</sup>	0,92m <sup>2</sup>



63468 | grey stone



black marble



white marble

63454 | black marble

Allura	Art. Number	Size
Dryback 0.70	63454DR7	50 x 50 cm
Dryback 0.55	63454DR5	50 x 50 cm
Dryback 0.40	63454DR4	50 x 50 cm
Flex 1.0	63454FL1	50 x 50 cm
Flex 0.55	63454FL5	50 x 50 cm
Click Pro 0.55	63454CL5	60 x 31,7 cm

63450 | white marble

Art. Number	Size
63450DR7	50 x 50 cm
63450DR5	50 x 50 cm
63450DR4	50 x 50 cm
63450FL1	50 x 50 cm
63450FL5	50 x 50 cm
63450CL5	60 x 31,7 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm
IR embossing	no	no	no	no	no	no
Bevel						
Pcs in box	12	14	15	10	13	10
M <sup>2</sup> in box	3m <sup>2</sup>	3,5m <sup>2</sup>	3,75m <sup>2</sup>	2,5m <sup>2</sup>	3,25m <sup>2</sup>	1,9m <sup>2</sup>

63455 | black marble

Allura	Art. Number	Size
Dryback 0.70	63455DR7	100 x 100 cm
Dryback 0.55	63455DR5	100 x 100 cm
Flex 1.0	63455FL1	100 x 100 cm
Flex 0.55	63455FL5	100 x 100 cm

63451 | white marble

Art. Number	Size
63451DR7	100 x 100 cm
63451DR5	100 x 100 cm
63451FL1	100 x 100 cm
63451FL5	100 x 100 cm

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Article nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>FL1</b>	<b>FL5</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel				
M <sup>2</sup>	on pallet	on pallet	on pallet	on pallet



63450 | white marble





**grigio concrete**



**natural concrete**



**charcoal concrete**



**nero concrete**

**62523 | grigio concrete**

Allura	Art. Number	Size
Dryback 0.70	<b>62523DR7</b>	50 x 50 cm
Dryback 0.55	<b>62523DR5</b>	50 x 50 cm
Dryback 0.40	<b>62523DR4</b>	50 x 50 cm
Flex 1.0	<b>62523FL1</b>	50 x 50 cm
Flex 0.55	<b>62523FL5</b>	50 x 50 cm
Click Pro 0.55	<b>62523CL5</b>	60 x 31,7 cm
Ease 0.70	<b>62523EA7</b>	48 x 48 cm
Puzzle 0.70	<b>62523PZ7</b>	96 x 96 cm

**62522 | natural concrete**

Art. Number	Size
<b>62522DR7</b>	50 x 50 cm
<b>62522DR5</b>	50 x 50 cm
<b>62522DR4</b>	50 x 50 cm
<b>62522FL1</b>	50 x 50 cm
<b>62522FL5</b>	50 x 50 cm
<b>62522CL5</b>	60 x 31,7 cm
<b>62522EA7</b>	48 x 48 cm
<b>62522PZ7</b>	96 x 96 cm

**62418 | charcoal concrete**

Art. Number	Size
<b>62418DR7</b>	50 x 50 cm
<b>62418DR5</b>	50 x 50 cm
<b>62418DR4</b>	50 x 50 cm
<b>62418FL1</b>	50 x 50 cm
<b>62418FL5</b>	50 x 50 cm
<b>62418CL5</b>	60 x 31,7 cm
<b>62418EA7</b>	48 x 48 cm
<b>62418PZ7</b>	96 x 96 cm

**62419 | nero concrete**

Art. Number	Size
<b>62419DR7</b>	50 x 50 cm
<b>62419DR5</b>	50 x 50 cm
<b>62419DR4</b>	50 x 50 cm
<b>62419FL1</b>	50 x 50 cm
<b>62419FL5</b>	50 x 50 cm
<b>62419CL5</b>	60 x 31,7 cm
<b>62419EA7</b>	48 x 48 cm
<b>62419PZ7</b>	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>	<b>EA7</b>	<b>PZ7</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel							4 sided	
Pcs in box	12	14	15	10	13	10	10	1
M <sup>2</sup> in box	3m <sup>2</sup>	3,5m <sup>2</sup>	3,75m <sup>2</sup>	2,5m <sup>2</sup>	3,25m <sup>2</sup>	1,9m <sup>2</sup>	2,3m <sup>2</sup>	0,92m <sup>2</sup>

**62513 | grigio concrete**

Allura	Art. Number	Size
Dryback 0.70	<b>62513DR7</b>	100 x 100 cm
Dryback 0.55	<b>62513DR5</b>	100 x 100 cm
Flex 1.0	<b>62513FL1</b>	100 x 100 cm
Flex 0.55	<b>62513FL5</b>	100 x 100 cm

**62512 | natural concrete**

Art. Number	Size
<b>62512DR7</b>	100 x 100 cm
<b>62512DR5</b>	100 x 100 cm
<b>62512FL1</b>	100 x 100 cm
<b>62512FL5</b>	100 x 100 cm

**62518 | charcoal concrete**

Art. Number	Size
<b>62518DR7</b>	100 x 100 cm
<b>62518DR5</b>	100 x 100 cm
<b>62518FL1</b>	100 x 100 cm
<b>62518FL5</b>	100 x 100 cm

**62519 | nero concrete**

Art. Number	Size
<b>62519DR7</b>	100 x 100 cm
<b>62519DR5</b>	100 x 100 cm
<b>62519FL1</b>	100 x 100 cm
<b>62519FL5</b>	100 x 100 cm

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>FL1</b>	<b>FL5</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel				
M <sup>2</sup>	on pallet	on pallet	on pallet	on pallet



**62522 | natural concrete**



**iron cement**



**light cement**



**smoke cement**



**grey cement**

**63428 | iron cement**

Allura	Art. Number	Size
Dryback 0.70	<b>63428DR7</b>	50 x 50 cm
Dryback 0.55	<b>63428DR5</b>	50 x 50 cm
Dryback 0.40	<b>63428DR4</b>	50 x 50 cm
Flex 1.0	<b>63428FL1</b>	50 x 50 cm
Flex 0.55	<b>63428FL5</b>	50 x 50 cm
Click Pro 0.55	<b>63428CL5</b>	60 x 31,7 cm
Ease 0.70	<b>63428EA7</b>	48 x 48 cm
Puzzle 0.70	<b>63428PZ7</b>	96 x 96 cm

**63426 | light cement**

Art. Number	Size
<b>63426DR7</b>	50 x 50 cm
<b>63426DR5</b>	50 x 50 cm
<b>63426DR4</b>	50 x 50 cm
<b>63426FL1</b>	50 x 50 cm
<b>63426FL5</b>	50 x 50 cm
<b>63426CL5</b>	60 x 31,7 cm

**63432 | smoke cement**

Art. Number	Size
<b>63432DR7</b>	50 x 50 cm
<b>63432DR5</b>	50 x 50 cm
<b>63432DR4</b>	50 x 50 cm
<b>63432FL1</b>	50 x 50 cm
<b>63432FL5</b>	50 x 50 cm
<b>63432CL5</b>	60 x 31,7 cm

**63430 | grey cement**

Art. Number	Size
<b>63430DR7</b>	50 x 50 cm
<b>63430DR5</b>	50 x 50 cm
<b>63430DR4</b>	50 x 50 cm
<b>63430FL1</b>	50 x 50 cm
<b>63430FL5</b>	50 x 50 cm
<b>63430CL5</b>	60 x 31,7 cm
<b>63430EA7</b>	48 x 48 cm
<b>63430PZ7</b>	96 x 96 cm

	Dry back 0.70	Dry back 0.55	Dry back 0.40	Flex 1.0	Flex 0.55	Click Pro 0.55	Ease 0.70	Puzzle 0.70
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>DR4</b>	<b>FL1</b>	<b>FL5</b>	<b>CL5</b>	<b>EA7</b>	<b>PZ7</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	2 mm / 0,40 mm	5 mm / 1 mm	4 mm / 0,55 mm	5 mm / 0,55 mm	5 mm / 0,70 mm	5 mm / 0,70 mm
IR embossing	no	no	no	no	no	no	no	no
Bevel							4 sided	
Pcs in box	12	14	15	10	13	10	10	1
M <sup>2</sup> in box	3m <sup>2</sup>	3,5m <sup>2</sup>	3,75m <sup>2</sup>	2,5m <sup>2</sup>	3,25m <sup>2</sup>	1,9m <sup>2</sup>	2,3m <sup>2</sup>	0,92m <sup>2</sup>

**63429 | iron cement**

Allura	Art. Number	Size
Dryback 0.70	<b>63429DR7</b>	100 x 100 cm
Dryback 0.55	<b>63429DR5</b>	100 x 100 cm
Flex 1.0	<b>63429FL1</b>	100 x 100 cm
Flex 0.55	<b>63429FL5</b>	100 x 100 cm

**63427 | light cement**

Art. Number	Size
<b>63427DR7</b>	100 x 100 cm
<b>63427DR5</b>	100 x 100 cm
<b>63427FL1</b>	100 x 100 cm
<b>63427FL5</b>	100 x 100 cm

**63433 | smoke cement**

Art. Number	Size
<b>63433DR7</b>	100 x 100 cm
<b>63433DR5</b>	100 x 100 cm
<b>63433FL1</b>	100 x 100 cm
<b>63433FL5</b>	100 x 100 cm

**63431 | grey cement**

Art. Number	Size
<b>63431DR7</b>	100 x 100 cm
<b>63431DR5</b>	100 x 100 cm
<b>63431FL1</b>	100 x 100 cm
<b>63431FL5</b>	100 x 100 cm

	Dry back 0.70	Dry back 0.55	Flex 1.0	Flex 0.55
Artide nr. suffix	<b>DR7</b>	<b>DR5</b>	<b>FL1</b>	<b>FL5</b>
Thickness/wearlayer	2,5 mm / 0,70 mm	2,2 mm / 0,55 mm	5 mm / 1 mm	4 mm / 0,55 mm
IR embossing	no	no	no	no
Bevel				
M <sup>2</sup>	on pallet	on pallet	on pallet	on pallet



**63429 | iron cement**

OTHER ALLURA DESIGNS



white giant oak  
60286 | 180 x 32 cm | **DR**



light timber  
63416 | 150 x 15 cm | **DR**



natural weathered oak  
60187 | 150 x 28 cm | **DR**



light ash  
63400 | 150 x 15 cm | **DR**



light rustic oak  
60078 | 120 x 20 cm | **DR**



bronzed oak  
63422 | 120 x 20 cm | **DR**



classic timber  
63414 | 150 x 15 cm | **DR**



anthracite weathered oak  
60185 | 150 x 28 cm | **DR**



smoked ash  
63404 | 150 x 15 cm | **DR**



brown ash  
63402 | 150 x 15 cm | **DR**



chocolate collage oak  
60376 | 120 x 20 cm | **DR**



charcoal solid oak  
60387 | 100 x 15 cm |   
60389 | HP 90 x 15 cm | **DR**

OTHER ALLURA DESIGNS




dark graphic wood  
63516 | 120x20 cm

DR



light graphic wood  
63517 | 120x20 cm

DR




grey marble  
63452 | 50 x 50 cm  
63453 | 100 x 100 cm  
63552 | Cl 50 x 50 cm | ☐

DR




silver metal brush  
63624 | 50 x 50 cm

DR



lead stone  
63470 | 50 x 50 cm

DR | PZ




coal stone  
63472 | 50 x 50 cm

DR




grey marbled stone  
63456 | 100 x 100 cm

DR | PZ




graphite marbled stone  
63466 | 100 x 100 cm

DR




black marbled stone  
63458 | 100 x 100 cm

DR | PZ




grey terrazzo  
63486 | 50 x 50 cm  
63586 | Cl 50 x 50 cm | ☐

DR



blue terrazzo  
63492 | 50 x 50 cm  
63592 | Cl 50 x 50 cm | ☐

DR



pink terrazzo  
63488 | 50 x 50 cm  
63588 | Cl 50 x 50 cm | ☐

DR



graphite weave  
63604 | 50 x 50 cm | ↯

DR | PZ



cool concrete dots  
63434 | 50 x 50 cm

DR




light fused concrete  
63440 | 50 x 50 cm

DR



grey slate  
62408 | 50 x 50 cm

DR



warm concrete dots  
63436 | 50 x 50 cm

DR



dark fused concrete  
63444 | 50 x 50 cm

DR




dark vintage gymfloor  
63510 | 100 x 15 cm

DR



light vintage gymfloor  
63511 | 100 x 15 cm

DR




azur  
63482 | 50 x 50 cm  
63582 | Cl 50 x 50 cm | ☐

DR



mustard  
63484 | 50 x 50 cm  
63584 | Cl 50 x 50 cm | ☐

DR



pink coral  
63474 | 50 x 50 cm  
63574 | Cl 50 x 50 cm | ☐

DR



denim  
63480 | 50 x 50 cm  
63580 | Cl 50 x 50 cm | ☐

DR



khaki  
63478 | 50 x 50 cm  
63578 | Cl 50 x 50 cm | ☐

DR



burgundy  
63476 | 50 x 50 cm  
63576 | Cl 50 x 50 cm | ☐

DR

## ALLURA FLOORING COMBINATIONS

This Allura collection is unique, offering 51 items which are available in all installation formats; glue down, tackified and loose lay. This allows combining in projects where different subfloors or different areas require a different installation method but you can still choose the same design. For truly integrated flooring solutions our Allura LVT collection can also be combined with other flooring products from our portfolio. Here you see a short overview.



63400 light ash | 63404 smoked ash | 133001 amber



63400 light ash | 63404 smoked ash | Flotex Planks Box-cross | 133001 amber



63444 dark fused concrete | 63440 light fused concrete | 5714 shark grey

### allura & flotex

Whether you want Flotex as a highlight feature in your floor design or really combine it in your design, you can choose. Flotex is available in sheet, planks and tiles. The planks have the same installation height as our Allura Flex (FL1), allowing a smooth transition from one to the other without the need for transition strips. Flotex is a unique textile floor covering that combines the hard wearing and durable characteristics of a resilient floor with the quality, warmth and comfort of a carpet. Flotex is a strong and hygienic floor, and offers superior cleaning performance to other textile flooring.

### allura & tessera

In areas where you need improved acoustics and comfort underfoot or where you want to highlight certain areas like a breakout room, you can play with Allura and Tessera. Use your imagination and design the ultimate office, leisure or hospitality project with these two products. Carpet tiles are renowned for their aesthetic styling and outstanding performance in the most demanding heavy traffic environments. Forbo's Tessera flooring offers a wide portfolio in both tile and plank sizes. Different tufting techniques like cut and loop piles or random lay, batchless, create different looks.

### allura & coral

Every floor needs protection from dirt and moisture from outside. With our Coral entrance flooring collection this can be an integrated design area that complements your entrance and integrates with the floor behind it. Entrance flooring is fundamental to modern building design. A well designed entrance flooring system will prevent dirt and moisture from being tracked in and thereby prolongs the life of interior flooring, reduces cleaning & maintenance costs and the potential for slip injuries.



62534 | mist texture 60353 | classic autumn oak



60026 | classic beech 60375 | grey collage oak